

California-BLM Sensitive Plant List, Updated October 7, 2002

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Abronia umbellata</i>	ssp. <i>breviflora</i>	Pink sand-verbena	Nyctaginaceae	Arcata (K)
<i>Acanthomintha lanceolata</i>		Santa Clara thorn-mint	Lamiaceae	Hollister (K)
<i>Acanthomintha obovata</i>	ssp. <i>obovata</i>	San Benito thorn-mint	Lamiaceae	Hollister (K)
<i>Agrostis hooveri</i>		Hoover's bent grass	Poaceae	Bakersfield (K)
<i>Allium jepsonii</i>		Jepson's onion	Liliaceae	Folsom (K), Redding (S)
<i>Allium shivockii</i>		Spanish Needle onion	Liliaceae	Bakersfield (K), Ridgecrest (S)
<i>Allium tuolumnense</i>		Rawhide Hill onion	Liliaceae	Folsom (K)
<i>Ambrosia pumila</i>		San Diego ambrosia	Asteraceae	Palm Springs (S)
<i>Amsinckia lunaris</i>		bent-flowered fiddleneck	Boraginaceae	Redding (S)
<i>Anisocarpus scabridus</i>		scabrid alpine tarplant	Asteraceae	Redding (S)
<i>Arabis bodiensis</i>		Bodie Hills rock cress	Brassicaceae	Bishop (K)
<i>Arctostaphylos cruzensis</i>		La Cruz manzanita	Ericaceae	Hollister (S)
<i>Arctostaphylos hookeri</i>	ssp. <i>hookeri</i>	Hooker's manzanita	Ericaceae	Hollister (K)
<i>Arctostaphylos klamathensis</i>		Klamath manzanita	Ericaceae	Redding (S)
<i>Arctostaphylos montereyensis</i>		Monterey manzanita	Ericaceae	Hollister (K)
<i>Arctostaphylos nissenana</i>		Nissenan manzanita	Ericaceae	Folsom (K)
<i>Arctostaphylos otayensis</i>		Otay manzanita	Ericaceae	Palm Springs (K)
<i>Arctostaphylos pilosula</i>		Santa Margarita manzanita	Ericaceae	Bakersfield (K)
<i>Arctostaphylos pumila</i>		Sandmat manzanita	Ericaceae	Hollister (K)
<i>Arctostaphylos rudis</i>		Sand mesa manzanita	Ericaceae	Bakersfield (K)
<i>Aristocapsa insignis</i>		Indian Valley spineflower	Polygonaceae	Bakersfield (S)
<i>Astragalus agrestis</i>		Field milk-vetch	Fabaceae	Alturas (K), Eagle Lake (K)
<i>Astragalus anxius</i>		Ash Valley milk-vetch	Fabaceae	Alturas (K)
<i>Astragalus argophyllus</i>	var. <i>argophyllus</i>	Silverleaf milk-vetch	Fabaceae	Eagle Lake (K), Bishop (K)
<i>Astragalus atratus</i>	var. <i>mensanus</i>	Darwin Mesa milk-vetch	Fabaceae	Ridgecrest (K)
<i>Astragalus deanei</i>		Deane's milk-vetch	Fabaceae	Palm Springs (K)
<i>Astragalus douglasii</i>	var. <i>perstrictus</i>	Jacumba milkvetch	Fabaceae	Palm Springs (K)
<i>Astragalus erittae</i>		Walker Pass milkvetch	Fabaceae	Ridgecrest (S)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Astragalus erterae</i>		Walker Pass milkvetch	Fabaceae	Bakersfield (K)
<i>Astragalus funereus</i>		Black milk-vetch	Fabaceae	Barstow (K)
<i>Astragalus geyeri</i>	var. <i>geyeri</i>	Geyer's milkvetch	Fabaceae	Bishop (S), Eagle Lake (K), Ridgecrest (K), Surprise (S)
<i>Astragalus lemmonii</i>		Lemmon's milkvetch	Fabaceae	Eagle Lake (S)
<i>Astragalus lentiformis</i>		Lens-pod milk-vetch	Fabaceae	Eagle Lake (K)
<i>Astragalus mojavensis</i>	var. <i>hemigyrus</i>	Curved-pod milkvetch	Fabaceae	Ridgecrest (S)
<i>Astragalus oocarpus</i>		San Diego rattleweed	Fabaceae	Palm Springs (K)
<i>Astragalus pseudodanthus</i>		Tonopah milk-vetch	Fabaceae	Bishop (K)
<i>Astragalus pulsiferae</i>	var. <i>pulsiferae</i>	Pulsifer's milk-vetch	Fabaceae	Alturas (K), Eagle Lake (K)
<i>Astragalus pulsiferae</i>	var. <i>suksdorffii</i>	Suksdorf's milk-vetch	Fabaceae	Eagle Lake (K)
<i>Astragalus rattanii</i>	var. <i>jepsonianus</i>	Jepson's milk-vetch	Fabaceae	Redding (S), Ukiah (K)
<i>Astragalus shewockii</i>		Shevock's milk-vetch	Fabaceae	Bakersfield (K)
<i>Astragalus tener</i>	var. <i>ferrisiae</i>	Ferris's milk-vetch	Fabaceae	Redding (S)
<i>Astragalus tiehmii</i>		Tiehm's milk-vetch	Fabaceae	Surprise (K)
<i>Astragalus webberi</i>		Webber's milk-vetch	Fabaceae	Eagle Lake (S)
<i>Atriplex cordulata</i>		Heart-leaved saltbush	Chenopodiaceae	Bakersfield (K)
<i>Atriplex erecticaulis</i>		Earlimart orache	Chenopodaceae	Bakersfield (S)
<i>Atriplex subtilis</i>		Subtle orache	Chenopodaceae	Bakersfield (S)
<i>Atriplex vallicola</i>		Lost Hills saltbush	Chenopodiaceae	Bakersfield (K)
<i>Balsamorhiza hookeri</i>	var. <i>lanata</i>	Woolly balsamroot	Asteraceae	Redding (K)
<i>Balsamorhiza macrolepis</i>	var. <i>macrolepis</i>	Big-scale balsamroot	Asteraceae	Folsom (K), Redding (K), Ukiah (K)
<i>Balsamorhiza sericea</i>		Silky balsamroot	Asteraceae	Redding (S)
<i>Brodiaea orcuttii</i>		Orcutt's brodiaea	Liliaceae	Palm Springs (K)
<i>Calochortus clavatus</i>	var. <i>avius</i>	Pleasant Valley mariposa lily	Liliaceae	Folsom (S)
<i>Calochortus excavatus</i>		Inyo mariposa	Liliaceae	Bishop (K)
<i>Calochortus greenei</i>		Greene's mariposa	Liliaceae	Redding (K)
<i>Calochortus longebarbatus</i>	var. <i>longebarbatus</i>	Long-haired star-tulip	Liliaceae	Alturas (S), Redding (S)
<i>Calochortus monanthus</i>		Shasta River mariposa	Liliaceae	Redding (S)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Calochortus obispoensis</i>		San Luis mariposa lily	Liliaceae	Bakersfield (S)
<i>Calochortus simulans</i>		San Luis Obispo mariposa lily	Liliaceae	Bakersfield (S)
<i>Calochortus striatus</i>		Alkali mariposa lily	Liliaceae	Bakersfield (K)
<i>Calochortus striatus</i>		Alkali mariposa lily	Liliaceae	Barstow (S), Ridgecrest (S)
<i>Calochortus westonii</i>		Shirley Meadows star-tulip	Liliaceae	Bakersfield (K)
<i>Calycadenia hooveri</i>		Hoover's calycadenia	Convolvulaceae	Bakersfield (S)
<i>Calycadenia oppositifolia</i>		Butte County calycadenia	Convolvulaceae	Redding (S)
<i>Calycadenia villosa</i>		Dwarf calycadenia	Convolvulaceae	Bakersfield (S)
<i>Calystegia atriplicifolia</i>	ssp. <i>buttenensis</i>	Butte County morning-glory	Convolvulaceae	Redding (K)
<i>Calystegia collina</i>	ssp. <i>venusta</i>	South Coast Range morning-glory	Convolvulaceae	Hollister (K)
<i>Camissonia hardhamiae</i>		Hardham's evening-primrose	Onagraceae	Hollister (S)
<i>Camissonia integrifolia</i>		Kern River evening-primrose	Onagraceae	Bakersfield (S)
<i>Campanula sharsmithiae</i>		Sharsmith's harebell	Campanulaceae	Hollister (S)
<i>Campanula shetleri</i>		Castle Crags harebell	Campanulaceae	Redding (S)
<i>Canbya candida</i>		Pygmy poppy	Papaveraceae	Bakersfield (K)
<i>Carex livida</i>		Livid sedge	Cyperaceae	Redding (S)
<i>Carex obispoensis</i>		San Luis Obispo sedge	Cyperaceae	Bakersfield (K)
<i>Carlquistia muirii</i>		Muir's raillardella	Asteraceae	Bakersfield (K), Ridgecrest (K)
<i>Castilleja ambigua</i>	ssp. <i>humboldtiensis</i>	Humbolt Bay owl's-clover	Scrophulariaceae	Arcata (K)
<i>Castilleja densiflora</i>	ssp. <i>obispoensis</i>	Obispo Indian paintbrush	Scrophulariaceae	Bakersfield (S)
<i>Castilleja mendocinensis</i>		Mendocino Coast paintbrush	Scrophulariaceae	Arcata (S)
<i>Castilleja rubicundula</i>	ssp. <i>rubicundula</i>	Pink creamsacs	Scrophulariaceae	Redding (S)
<i>Caulanthus coulteri</i>	var. <i>lemonii</i>	Lemmon's jewelflower	Brassicaceae	Bakersfield (K)
<i>Caulostrema jaegeri</i>		Jaeger's caulostrema	Brassicaceae	Bishop (S), Ridgecrest (K)
<i>Ceanothus confusus</i>		Rincon Ridge ceanothus	Rhamnaceae	Ukiah (S)
<i>Ceanothus cyaneus</i>		Lakeside ceanothus	Rhamnaceae	Palm Springs (K)
<i>Ceanothus divergens</i>		Calistoga ceanothus	Rhamnaceae	Ukiah (S)
<i>Centromadia parryi</i>	ssp. <i>congdonii</i>	Congdon's tarplant	Asteraceae	Hollister (K)
<i>Chaenactis suffrutescens</i>		Shasta chaenactis	Asteraceae	Redding (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Chamaesyce ocellata</i>	ssp. <i>rattanii</i>	Stony Creek spurge	Euphorbiaceae	Redding (K)
<i>Chamaesyce platysperma</i>		Flat-seeded spurge	Euphorbiaceae	El Centro (S), Palm Springs (S)
<i>Chlorogalum grandiflorum</i>		Red Hills soaproot	Liliaceae	Folsom (K)
<i>Chlorogalum pomeridianum</i>	var. <i>minus</i>	Dwarf soaproot	Liliaceae	Redding (K), Ukiah (K)
<i>Chorizanthe biloba</i>	var. <i>immemora</i>	San Benito spineflower	Polygonaceae	Hollister (K)
<i>Chorizanthe breweri</i>		Brewer's spineflower	Polygonaceae	Bakersfield (S)
<i>Chorizanthe rectispina</i>		Straight-awned spineflower	Polygonaceae	Bakersfield (K), Hollister (K)
<i>Cirsium crassicaule</i>		Slough thistle	Asteraceae	Bakersfield (S)
<i>Cirsium fontinale</i>	var. <i>campylon</i>	Mt. Hamilton thistle	Asteraceae	Hollister (S)
<i>Clarkia australis</i>		Small southern clarkia	Onagraceae	Bakersfield (S)
<i>Clarkia biloba</i>	ssp. <i>australis</i>	Mariposa clarkia	Onagraceae	Folsom (K)
<i>Clarkia biloba</i>	ssp. <i>brandegeae</i>	Brandegee's clarkia	Onagraceae	Folsom (K), Redding (S)
<i>Clarkia borealis</i>	ssp. <i>borealis</i>	Northern clarkia	Onagraceae	Redding (S)
<i>Clarkia borealis</i>	ssp. <i>arida</i>	Shasta clarkia	Onagraceae	Redding (K)
<i>Clarkia breweri</i>		Brewer's clarkia	Onagraceae	Hollister (K)
<i>Clarkia gracilis</i>	ssp. <i>albicaulis</i>	White-stemmed clarkia	Onagraceae	Redding (K)
<i>Clarkia mildrediae</i>	ssp. <i>mildrediae</i>	Mildred's clarkia	Onagraceae	Redding (S)
<i>Clarkia mosquinii</i>		Mosquin's clarkia	Onagraceae	Redding (S)
<i>Clarkia rostrata</i>		Beaked clarkia	Onagraceae	Folsom (K)
<i>Clarkia tembloriensis</i>	ssp. <i>calientensis</i>	Caliente clarkia	Onagraceae	Bakersfield (S)
<i>Cordylanthus maritimus</i>	ssp. <i>palustris</i>	Pt. Reyes birdsbeak	Scrophulariaceae	Arcata (K)
<i>Cordylanthus mollis</i>	ssp. <i>hispidus</i>	Hispid bird's beak	Scrophulariaceae	Bakersfield (S), Hollister (S)
<i>Cordylanthus tecopensis</i>		Tecopa bird's beak	Scrophulariaceae	Barstow (K)
<i>Cordylanthus tenuis</i>	ssp. <i>pallescens</i>	Pallid bird's beak	Scrophulariaceae	Redding (S)
<i>Coreopsis hamiltonii</i>		Mt. Hamilton coreopsis	Asteraceae	Hollister (K)
<i>Cryptantha crinita</i>		Silky cryptantha	Boraginaceae	Redding (K)
<i>Cryptantha ganderi</i>		Gander's cryptantha	Boraginaceae	Palm Springs (S)
<i>Cryptantha mariposae</i>		Mariposa cryptantha	Boraginaceae	Folsom (K)
<i>Cryptantha schoolcraftii</i>		Schoolcraft's cryptantha	Boraginaceae	Surprise (K)
<i>Cupressus arizonica</i>	ssp. <i>nevadensis</i>	Piute cypress	Cupressaceae	Bakersfield (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Cupressus forbesii</i>		Tecate cypress	Cupressaceae	Palm Springs (K)
<i>Cusickiella quadricostata</i>		Bodie Hills cusickiella	Brassicaceae	Bishop (K)
<i>Cymopterus deserticola</i>		Desert cymopterus	Apiaceae	Barstow (K), Ridgecrest (K)
<i>Cymopterus ripleyi</i>	var. <i>saniculoides</i>	Ripley's cymopterus	Apiaceae	Ridgecrest (K)
<i>Dalea ornata</i>		Ornate dalea	Fabaceae	Eagle Lake (K)
<i>Deinandra floribunda</i>		Tecate tarplant	Asteraceae	Palm Springs (K)
<i>Deinandra halliana</i>		Hall's tarplant	Asteraceae	Bakersfield (S), Hollister (K)
<i>Delphinium parryi</i>	ssp. <i>blochmaniae</i>	Dune larkspur	Ranunculaceae	Bakersfield (S)
<i>Delphinium purpusii</i>		Kern County Larkspur	Ranunculaceae	Bakersfield (K)
<i>Delphinium recurvatum</i>		Recurved larkspur	Ranunculaceae	Bakersfield (K), Hollister (K)
<i>Delphinium umbraculorum</i>		Umbrella larkspur	Ranunculaceae	Bakersfield (S)
<i>Dudleya abramsii</i>	ssp. <i>murina</i>	San Luis Obispo dudleya	Crassulaceae	Bakersfield (S)
<i>Dudleya multicaulis</i>		Many-stemmed dudleya	Crassulaceae	Palm Springs (K)
<i>Dudleya saxosa</i>	ssp. <i>saxosa</i>	Panamint dudleya	Crassulaceae	Ridgecrest (S)
<i>Dudleya variegata</i>		Variegated dudleya	Crassulaceae	Palm Springs (K)
<i>Echinocereus engelmannii</i>	var. <i>howei</i>	Howe's hedgehog cactus	Cactaceae	Needles (K)
<i>Enceliopsis covillei</i>		Panamint daisy	Asteraceae	Ridgecrest (K)
<i>Epilobium oreganum</i>		Oregon fireweed	Onagraceae	Redding (S)
<i>Eriastrum brandegeae</i>		Brandegee's eriastrum	Polemoniaceae	Redding (K), Ukiah (K)
<i>Eriastrum luteum</i>		Yellow-flowered eriastrum	Polemoniaceae	Bakersfield (K)
<i>Ericameria fasciculata</i>		Eastwood's goldenbush	Asteraceae	Hollister (K)
<i>Erigeron aequifolius</i>		Hall's daisy	Asteraceae	Ridgecrest (K)
<i>Erigeron blochmaniae</i>		Blochman's leafy daisy	Asteraceae	Bakersfield (K)
<i>Erigeron multiceps</i>		Kern River daisy	Asteraceae	Bakersfield (S)
<i>Eriogonum bifurcatum</i>		Forked buckwheat	Polygonaceae	Barstow (K)
<i>Eriogonum crosbyae</i>		Crosby's buckwheat	Polygonaceae	Surprise (K)
<i>Eriogonum eremicola</i>		Wild Rose Canyon buckwheat	Polygonaceae	Bishop (S), Ridgecrest (K)
<i>Eriogonum heermannii</i>	var. <i>occidentale</i>	Western Herman's buckwheat	Polygonaceae	Hollister (K)
<i>Eriogonum kennedyi</i>	var. <i>pinicola</i>	Cache Peak buckwheat	Polygonaceae	Bakersfield (S), Ridgecrest (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Eriogonum microthecum</i>	var. <i>panamintense</i>	Panamint Mountains buckwheat	Polygonaceae	Bishop (S), Ridgecrest (K)
<i>Eriogonum nervulosum</i>		Snow Mtn. buckwheat	Polygonaceae	Ukiah (K)
<i>Eriogonum nudum</i>	var. <i>murinum</i>	Mouse buckwheat	Polygonaceae	Bakersfield (K), Hollister (K)
<i>Eriogonum prociduum</i>		Prostrate buckwheat	Polygonaceae	Alturas (K), Surprise (S)
<i>Eriogonum temblorense</i>		Tremblor buckwheat	Polygonaceae	Bakersfield (K)
<i>Eriogonum umbellatum</i>	var. <i>glaberrimum</i>	Green buckwheat	Polygonaceae	Alturas (S), Surprise (S)
<i>Eriophyllum mohavense</i>		Barstow woolly-sunflower	Asteraceae	Barstow (K), Ridgecrest (K)
<i>Erysimum ammophilum</i>		Coast wallflower	Brassicaceae	Hollister (K)
<i>Erythronium citrinum</i>	var. <i>roderickii</i>	Scott Mtn. fawn lily	Liliaceae	Redding (S)
<i>Erythronium tuolumnense</i>		Tuolumne fawn-lily	Liliaceae	Folsom (K)
<i>Eschscholzia minutiflora</i>	ssp. <i>twisselmannii</i>	Red Rock poppy	Papaveraceae	Ridgecrest (K)
<i>Eschscholzia rhombipetala</i>		Diamond-petaled California poppy	Papaveraceae	Bakersfield (S)
<i>Fritillaria falcata</i>		Talus fritillary	Liliaceae	Hollister (K)
<i>Fritillaria ojaiensis</i>		Ojai fritillary	Liliaceae	Bakersfield (S)
<i>Fritillaria pluriflora</i>		Adobe lily	Liliaceae	Redding (S), Ukiah (K)
<i>Fritillaria viridea</i>		San Benito fritillary	Liliaceae	Hollister (K)
<i>Galium angustifolium</i>	ssp. <i>onycense</i>	Onyx peak bedstraw	Rubiaceae	Bakersfield (K)
<i>Galium californicum</i>	ssp. <i>primum</i>	California bedstraw	Rubiaceae	Palm Springs (S)
<i>Galium glabrescens</i>	ssp. <i>modocense</i>	Modoc bedstraw	Rubiaceae	Alturas (S), Surprise (K)
<i>Galium grande</i>		San Gabriel bedstraw	Rubiaceae	Palm Springs (S)
<i>Galium hardhamiae</i>		Hardham's bedstraw	Rubiaceae	Bakersfield (K)
<i>Galium hilendiae</i>	ssp. <i>kingstonense</i>	Kingston bedstraw	Rubiaceae	Barstow (K), Needles (K)
<i>Galium serpenticum</i>	ssp. <i>warnerense</i>	Warner Mtns. bedstraw	Rubiaceae	Alturas (S), Surprise (S)
<i>Galium serpenticum</i>	ssp. <i>scotticum</i>	Scott Mtn. bedstraw	Rubiaceae	Redding (K)
<i>Gentiana setigera</i>		Mendocino gentian	Gentianaceae	Arcata (K)
<i>Gilia millefoliata</i>		Dark-eyed gilia	Polemoniaceae	Arcata (S)
<i>Glossopetalon pungens</i>		Pungent glossopetalon	Crossosomataceae	Needles (K)
<i>Harmonia doris-nilesiae</i>		Niles's harmonia	Asteraceae	Redding (S)
<i>Harmonia hallii</i>		Hall's harmonia	Asteraceae	Ukiah (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Harmonia stebbinsii</i>		Stebbins's madia	Asteraceae	Redding (K)
<i>Hazardia orcuttii</i>		Orcutt's Hazardia	Asteraceae	Palm Springs (S)
<i>Helianthella castanea</i>		Diablo rock-rose	Asteraceae	Hollister (S)
<i>Hesperolinon adenophyllum</i>		Glandular western flax	Linaceae	Ukiah (K)
<i>Hesperolinon breweri</i>		Brewer's dwarf flax	Linaceae	Ukiah (S)
<i>Hesperolinon drymariooides</i>		Drymaria-like western flax	Linaceae	Ukiah (K)
<i>Hesperolinon serpentinum</i>		Napa western flax	Linaceae	Ukiah (K)
<i>Hesperolinon tehamaense</i>		Tehama County western flax	Linaceae	Redding (K)
<i>Heterotheca shevockii</i>		Shevock's hairy golden-aster	Asteraceae	Bakersfield (S)
<i>Horkelia hendersonii</i>		Henderson's horkelia	Rosaceae	Redding (S)
<i>Horkelia parryi</i>		Parry's horkelia	Rosaceae	Folsom (K)
<i>Iliamna bakeri</i>		Baker's globe mallow	Malvaceae	Alturas (K), Eagle Lake (K), Surprise (K)
<i>Iliamna bakeri</i>		Baker's globe mallow	Malvaceae	Redding (S)
<i>Iris munzii</i>		Munz's iris	Iridaceae	Bakersfield (S)
<i>Ivesia aperta</i>	var. <i>aperta</i>	Sierra Valley ivesia	Rosaceae	Eagle Lake (K)
<i>Ivesia jaegeri</i>		Jaeger's ivesia	Rosaceae	Needles (K)
<i>Ivesia kingii</i>	var. <i>kingii</i>	Alkali ivesia	Rosaceae	Bishop (K)
<i>Ivesia longibracteata</i>		Castle Crags ivesia	Rosaceae	Redding (S)
<i>Ivesia paniculata</i>		Ash Creek ivesia	Rosaceae	Alturas (K)
<i>Ivesia patellifera</i>		Kingston Mtns. ivesia	Rosaceae	Barstow (K), Needles (K)
<i>Ivesia pickeringii</i>		Pickering's ivesia	Rosaceae	Redding (S)
<i>Ivesia rhypara</i>	var. <i>rhypara</i>	Grimy ivesia	Rosaceae	Surprise (K)
<i>Ivesia sericoleuca</i>		Plumas ivesia	Rosaceae	Eagle Lake (S)
<i>Ivesia webberi</i>		Webber's ivesia	Rosaceae	Eagle Lake (K)
<i>Juncus leiospermus</i>	var. <i>leiospermus</i>	Red Bluff dwarf rush	Juncaceae	Redding (K)
<i>Lasthenia glabrata</i>	ssp. <i>coulteri</i>	Coulter's goldfields	Asteraceae	Bakersfield (K)
<i>Layia discoidea</i>		Rayless tidytips	Asteraceae	Hollister (K)
<i>Layia heterotricha</i>		Pale-yellow layia	Asteraceae	Bakersfield (K), Hollister (K)
<i>Layia jonesii</i>		Jones' layia	Asteraceae	Bakersfield (S), Hollister (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Layia leucopappa</i>		Comanche Point layia	Asteraceae	Bakersfield (S)
<i>Layia munzii</i>		Munz's tidy-tips	Asteraceae	Bakersfield (K)
<i>Layia septentrionalis</i>		Colusa layia	Asteraceae	Redding (S), Ukiah (S)
<i>Legenere limosa</i>		Legenere	Campanulaceae	Redding (K)
<i>Lepechinia ganderi</i>		Gander's pitcher-sage	Lamiaceae	Palm Springs (K)
<i>Lepidium flavum</i>	var. <i>felipense</i>	Borrego Valley pepper-grass	Brassicaceae	Palm Springs (S)
<i>Lepidium jaredii</i>	ssp. <i>album</i>	Panoch pepper-grass	Brassicaceae	Hollister (K)
<i>Lepidium jaredii</i>	ssp. <i>jaredii</i>	Jared's pepper-grass	Brassicaceae	Bakersfield (K)
<i>Lewisia cantelovii</i>		Cantelow's lewisia	Portulacaceae	Folsom (K), Redding (S)
<i>Lewisia cotyledon</i>	var. <i>heckneri</i>	Heckner's lewisia	Portulacaceae	Redding (K)
<i>Lilium occidentale</i>		Western Lily	Liliaceae	Arcata (S)
<i>Limnanthes floccosa</i>	ssp. <i>bellingeriana</i>	Bellinger's meadowfoam	Limnanthaceae	Alturas (S), Redding (S)
<i>Linanthus maculatus</i>		Little San Bernardino Mtns. Linanthus	Polemoniaceae	Barstow (K), Palm Springs (K)
<i>Linanthus nuttallii</i>	ssp. <i>howellii</i>	Mt. Tedoc linanthus	Polemoniaceae	Redding (S)
<i>Linanthus orcuttii</i>		Orcutt's linanthus	Polemoniaceae	Palm Springs (S)
<i>Loeflingia squarrosa</i>	var. <i>artemisiarum</i>	Sagebrush loeflingia	Caryophyllaceae	Bishop, Eagle Lake and Surprise (K)
<i>Lomatium congdonii</i>		Congdon's lomatium	Apiaceae	Folsom (K)
<i>Lomatium roseanum</i>		Adobe lomatium	Apiaceae	Alturas (K), Surprise (S)
<i>Lomatium shewockii</i>		Owens Peak lomatium	Apiaceae	Bakersfield (K), Ridgecrest (K)
<i>Lotus rubriflorus</i>		Red-flowered lotus	Fabaceae	Redding (S)
<i>Lupinus citrinus</i>	var. <i>citrinus</i>	Orange lupine	Fabaceae	Bakersfield (S)
<i>Lupinus dalesiae</i>		Quincy lupine	Fabaceae	Eagle Lake (S), Redding (S)
<i>Lupinus duranii</i>		Mono Lake lupine	Fabaceae	Bishop (K)
<i>Lupinus excubitus</i>	var. <i>medius</i>	Mountain Springs bush lupine	Fabaceae	El Centro (K), Palm Springs (K)
<i>Lupinus ludovicianus</i>		San Luis Obispo County lupine	Fabaceae	Bakersfield (S)
<i>Lupinus magnificus</i>	var. <i>magnificus</i>	Panamint Mtns. lupine	Fabaceae	Bishop (S), Ridgecrest (K)
<i>Lupinus spectabilis</i>		Shaggyhair lupine	Fabaceae	Folsom (K)
<i>Lupinus uncialis</i>		Lilliput lupine	Fabaceae	Alturas (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Madia radiata</i>		Showy madia	Asteraceae	Bakersfield (S), Hollister (K)
<i>Malacothamnus palmeri</i>	var. <i>involucratus</i>	Carmel Valley bush-mallow	Malvaceae	Hollister (K)
<i>Malacothrix saxatilis</i>	var. <i>arachnoidea</i>	Carmel Valley malacothrix	Asteraceae	Hollister (S)
<i>Malacothamnus aboriginum</i>		Indian Valley bush mallow	Malvaceae	Hollister (K)
<i>Mimulus evanescens</i>		Ephemeral monkeyflower	Scrophulariaceae	Alturas (K), Eagle Lake (S), Redding (S)
<i>Mimulus filicaulis</i>		Slender-stemmed monkeyflower	Scrophulariaceae	Folsom (K)
<i>Mimulus gracilipes</i>		Slender-stalked monkerflower	Scrophulariaceae	Bakersfield (S)
<i>Mimulus mohavensis</i>		Mojave monkeyflower	Scrophulariaceae	Barstow (K)
<i>Mimulus norrisii</i>		Kaweah monkeyflower	Scrophulariaceae	Bakersfield (K)
<i>Mimulus pictus</i>		Calico monkeyflower	Scrophulariaceae	Bakersfield (K)
<i>Mimulus shevockii</i>		Kelso Creek monkeyflower	Scrophulariaceae	Bakersfield (K), Ridgecrest (K)
<i>Minuartia howellii</i>		Howell's sandwort	Caryophyllaceae	Redding (S)
<i>Minuartia stolonifera</i>		Scott Mtn. sandwort	Caryophyllaceae	Redding (S)
<i>Monardella antonina</i>	ssp. <i>benitensis</i>	San Benito monardella	Lamiaceae	Hollister (K)
<i>Monardella benolens</i>		Sweet-smelling monardella	Lamiaceae	Ridgecrest (K)
<i>Monardella crispa</i>		Crisp monardella	Lamiaceae	Bakersfield (K)
<i>Monardella douglasii</i>	var. <i>venosa</i>	Veiny monardella	Lamiaceae	Redding (S)
<i>Monardella frutescens</i>		San Luis Obispo monardella	Lamiaceae	Bakersfield (S)
<i>Monardella robisonii</i>		Robison monardella	Lamiaceae	Barstow (K), Palm Springs (S)
<i>Monardella villosa</i>	ssp. <i>globosa</i>	Robust monardella	Lamiaceae	Arcata (S)
<i>Muilla clevelandii</i>		San Diego goldenstar	Liliaceae	Palm Springs (S)
<i>Navarretia leucocephala</i>	ssp. <i>bakeri</i>	Baker's navarretia	Polemoniaceae	Redding (S)
<i>Navarretia setiloba</i>		Piute Mountains navarretia	Polemoniaceae	Bakersfield (K)
<i>Nephroma bellum</i>		Lichen		Arcata (K)
<i>Neviusia cliftonii</i>		Shasta snow-wreath	Rosaceae	Redding (S)
<i>Oenothera wolfii</i>		Wolf's evening-primrose	Onagraceae	Arcata (S)
<i>Opuntia basilaris</i>	var. <i>brachyclada</i>	Short-joint beavertail	Cactaceae	Barstow (K), Needles (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Opuntia munzii</i>		Munz cholla	Cactaceae	El Centro (K), Palm Springs (K)
<i>Oreostemma elatum</i>		Tall alpine aster	Asteraceae	Eagle Lake (S)
<i>Orthocarpus pachystachyus</i>		Shasta orthocarpus	Scrophulariaceae	Redding (S)
<i>Orthotrichum shevockii</i>		Moss		Bakersfield (S)
<i>Oryzopsis exigua</i>		Little ricegrass	Poaceae	Alturas (K), Eagle Lake (K), Surprise (S)
<i>Otidea onotica</i>		Fungus		Arcata (S)
<i>Palafoxia arida</i>	var. <i>gigantea</i>	Giant Spanish needle	Asteraceae	El Centro (K)
<i>Paronychia ahartii</i>		Ahart's paronychia	Carophyllaceae	Redding (K)
<i>Pedicularis centranthera</i>		Dwarf lousewort	Scrophulariaceae	Eagle Lake (K)
<i>Penstemon albomarginatus</i>		White-margined beardtongue	Scrophulariaceae	Barstow (K)
<i>Penstemon filiformis</i>		Thread-leaved beardtongue	Scrophulariaceae	Redding (S)
<i>Penstemon fruticiformis</i>	var. <i>amargosae</i>	Death Valley beardtongue	Scrophulariaceae	Barstow (K)
<i>Penstemon personatus</i>		Closed-throated beardtongue	Scrophulariaceae	Redding (K)
<i>Penstemon stephensii</i>		Stephen's beardtongue	Scrophulariaceae	Barstow (K), Needles (K)
<i>Penstemon sudans</i>		Susanville beardtongue	Scropulariaceae	Eagle Lake (K)
<i>Pentachaeta exilis</i>	ssp. <i>aeolica</i>	Slender pentachaeta	Asteraceae	Hollister (K)
<i>Perityle inyoensis</i>		Inyo laphamia	Asteraceae	Bishop (S), Ridgecrest (K)
<i>Perityle villosa</i>		Hanaupah laphamia	Asteraceae	Ridgecrest (K)
<i>Petalonyx thurberi</i>	ssp. <i>gilmanii</i>	Death Valley sandpaper plant	Loasaceae	Barstow (K), Ridgecrest (K)
<i>Phacelia cookei</i>		Cooke's phacelia	Hydrophyllaceae	Redding (S)
<i>Phacelia greenei</i>		Scott Valley phacelia	Hydrophyllaceae	Redding (K)
<i>Phacelia inundata</i>		Playa phacelia	Hydrophyllaceae	Alturas (S), Eagle Lake (K), Surprise (K)
<i>Phacelia leonis</i>		Siskiyou phacelia	Hydrophyllaceae	Redding (S)
<i>Phacelia monoensis</i>		Mono County phacelia	Hydrophyllaceae	Bishop (K)
<i>Phacelia mustelina</i>		Death Valley round- leaved phacelia	Hydrophyllaceae	Ridgecrest (S)
<i>Phacelia nashiana</i>		Charlotte's phacelia	Hydrophyllaceae	Bakersfield (K), Ridgecrest (K)
<i>Phacelia novenmillensis</i>		Nine Mile Canyon phacelia	Hydrophyllaceae	Bakersfield (K), Ridgecrest (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Phacelia parishii</i>		Parish's phacelia	Hydrophyllaceae	Barstow (K)
<i>Phacelia phacelioides</i>		Mount Diablo phacelia	Hydrophyllaceae	Hollister (S)
<i>Plagiobothrys uncinatus</i>		Hooked popcorn-flower	Boraginaceae	Bakersfield (S)
<i>Pogogyne floribunda</i>		Profuse-flowered pogogyne	Lamiaceae	Alturas (K), Redding (S)
<i>Polyctenium williamsiae</i>		Williams's combleaf	Brassicaceae	Eagle Lake (K)
<i>Polygonum polygaloides</i>	ssp. <i>esotericum</i>	Modoc County knotweed	Polygonaceae	Alturas (K)
<i>Potentilla basaltica</i>		Black rock potentilla	Rosaceae	Alturas (S), Surprise (S)
<i>Puccinellia howellii</i>		Howell's alkali-grass	Poaceae	Redding (S)
<i>Puccinellia parishii</i>		Parish's alkaligrass	Poaceae	Barstow (S)
<i>Raillardella pringlei</i>		Showy raillardella	Asteraceae	Redding (S)
<i>Rhynchospora californica</i>		California beaked-rush	Cyperaceae	Redding (S)
<i>Ribes canthariforme</i>		Moreno currant, San Diego currant	Saxifragaceae	Palm Springs (S)
<i>Ribes tularensse</i>		Sequoia gooseberry	Grossulariaceae	Bakersfield (K)
<i>Rorippa columbiae</i>		Columbia yellow cress	Brassicaceae	Alturas (S), Eagle Lake (S), Redding (S)
<i>Rupertia hallii</i>		Hall's rupertia	Fabaceae	Redding (K)
<i>Sagittaria sanfordii</i>		Sanford's arrowhead	Alismataceae	Redding (K)
<i>Sedum albomarginatum</i>		Feather River stonecrop	Crassulaceae	Redding (S)
<i>Sedum paradiseum</i>		Canyon Creek stonecrop	Crassulaceae	Redding (K)
<i>Senecio clevelandii</i>	var. <i>heterophyllus</i>	Red Hills ragwort	Asteraceae	Folsom (K)
<i>Senecio eurycephalus</i>	var. <i>lewisrosei</i>	Cut-leaved ragwort	Asteraceae	Redding (S)
<i>Sidalcea malachroides</i>		Maple-leaved checkerbloom	Malvaceae	Arcata (S)
<i>Sidalcea malvaeflora</i>	ssp. <i>patula</i>	Siskiyou checkerbloom	Malvaceae	Arcata (S)
<i>Sidalcea oregana</i>	ssp. <i>eximia</i>	Coast checkerbloom	Malvaceae	Arcata (S)
<i>Sidalcea robusta</i>		Butte County checker-mallow	Malvaceae	Redding (K)
<i>Smilax jamesii</i>		English Peak greenbriar	Smilacaceae	Redding (S)
<i>Sphaeralcea rusbyi</i>	var. <i>eremicola</i>	Rusby's desert-mallow	Malvaceae	Needles (K)
<i>Stenotus lanuginosus</i>		Woolly stenotus	Asteraceae	Alturas (K)
<i>Streptanthus brachiatus</i>	ssp. <i>brachiatus</i>	Socrates Mine jewel-flower	Brassicaceae	Ukiah (K)
<i>Streptanthus brachiatus</i>	ssp. <i>hoffmanii</i>	Freed's jewelflower	Brassicaceae	Ukiah (K)

SPECIES	SUBSPECIES	COMMON NAME	FAMILY	FIELD OFFICE*
<i>Streptanthus callistus</i>		Mount Hamilton jewel-flower	Brassicaceae	Hollister (S)
<i>Streptanthus cordatus</i>	var. <i>piutensis</i>	Piute Mtns. jewel-flower	Brassicaceae	Bakersfield (K), Ridgecrest (S)
<i>Streptanthus glandulosus</i>	var. <i>hoffmannii</i>	Hoffmann's jewel-flower	Brassicaceae	Ukiah (S)
<i>Streptanthus morrisonii</i>	ssp. <i>morrisonii</i>	Morrison's jewel-flower	Brassicaceae	Ukiah (K)
<i>Streptanthus morrisonii</i>	ssp. <i>elatus</i>	Three Peaks jewelflower	Brassicaceae	Ukiah (K)
<i>Streptanthus morrisonii</i>	ssp. <i>hirtiflorus</i>	Dorr's Cabin jewelflower	Brassicaceae	Ukiah (S)
<i>Streptanthus morrisonii</i>	ssp. <i>kruckebergii</i>	Kruckeberg's jewelflower	Brassicaceae	Ukiah (K)
<i>Streptanthus oliganthus</i>		Masonic Mountain jewelflower	Brassicaceae	Bishop (K)
<i>Stylocline citroleum</i>		Oil neststraw	Asteraceae	Bakersfield (S)
<i>Stylocline masonii</i>		Mason neststraw	Asteraceae	Bakersfield (S)
<i>Tetracoccus dioicus</i>		Parry's tetracoccus	Euphorbiaceae	Palm Springs (K)
<i>Thelypodium howellii</i>	var. <i>howellii</i>	Howell's thelypodium	Brassicaceae	Alturas (S), Eagle Lake (K), Surprise (S)
<i>Tortula californica</i>		Moss	Pottiaceae	Bakersfield (S)
<i>Trifolium buckwestiorum</i>		Santa Cruz clover	Fabaceae	Hollister (K)
<i>Trifolium dedeckerae</i>		DeDecker's clover	Fabaceae	Bakersfield (S), Ridgecrest (S)
<i>Trifolium jokerstii</i>		Butte County golden clover	Fabaceae	Redding (K)
<i>Wyethia reticulata</i>		El Dorado mule ears	Asteraceae	Folsom (K)
<i>Xylorhiza orcuttii</i>		Orcutt's woody aster	Asteraceae	El Centro (K)

*In the Field Office occurrence column, K = Known Occurrence and S = Suspected Occurrence